



TC003

See More Than the Human Eye

The TC003 is a tablet thermal camera making high-resolution thermal imaging widely available. The TC003 offers high-quality imaging (256x192), high temperature sensitivity (40mk), and high accuracy (right down to 0.1°C). Added benefits of the TC003 include a 5" touch screen, a 2-megapixel visible light camera for overlapping images, and temperature waveform graphing.

This multi-functional thermal imager is built for equipment maintenance and inspection, aiming to provide accurate thermal imaging services to assist maintenance tasks, including professional automotive repair, HVAC systems, and crop protection.

Features

- Superior Image Quality with an IR Resolution of 256x192
- Utmost Accurate Temperature Readings With $\pm 2^{\circ}\text{C}$ Or 2% Of Max Temperature for Error and Measure Temperatures Down To 0.1°C Accuracy.
- Expansive testing range of $-20^{\circ}\text{C}\sim 550^{\circ}\text{C}$ (-4°F to $+1022^{\circ}\text{F}$).
- Expanded Capabilities with OTG Function and Can Pair with Endoscopes, Oscilloscopes, And USB Drives.
- 4 Temperature Reading Modes.
- Monitor Temperature Change by Waveform Graph.
- 4 Imaging Modes & 11 Palettes.
- 5" Large Touch Screen With 800 X 480 Camera Resolution.
- Compatible with Windows Laptops.

Specs

Screen: 5 inches, 800 X 480 Pixels
Operating System: Android 11.0
IR Resolution: 256x192
NETD: <40mK
Temp. Range: $-20^{\circ}\text{C}\sim 550^{\circ}\text{C}$ (-4°F to $+1022^{\circ}\text{F}$)
Battery Capacity: 5000mAh
Connectivity: Bluetooth, Wi-Fi
Memory: 2+32G
Temp. Units: Celsius, Fahrenheit
Gross Weight: 900 g
Dimensions: 221*140*186 mm
FOV: 56.0° x 42.2° x 71.3°

What's in the Box

- TC003 Tablet *1
- Adapter *1
- Type C Cable *1
- Carrying Case *1
- User Manual *1
- Soft Cloth *1

CONTACT US     @topdonofficial

TOPDON

TOPDON TECHNOLOGY Co., Ltd. | WWW.TOPDON.COM

sales@topdon.com | +86-755-21612590 +1-833-629-4832 (North America)

Unit 2005 20/F, No.3040 Xinghai Avenue, Qianhai Shimao Tower, Qianhai Shenzhen-Hong Kong Cooperation Zone, Shenzhen, P.R.China | 518000